

In this issue of the *Annals of Family Medicine*

Stratified Care for Low Back Pain in Family Practice 102

A stratified approach to low back pain that links primary care and physical therapy interventions and reduces disability and costs.

Therapeutic Massage for Chronic Neck Pain 112

For chronic neck pain, the beneficial effects of massage treatments increase with dose.

Azithromycin and Increased Risk of Cardiac Arrhythmia 121

Azithromycin, compared with amoxicillin, has a statistically significant difference in mortality and arrhythmia risks within the first 5 days of being dispensed.

Barriers to Prescribing Buprenorphine 128

Training programs alone are not sufficient to increase the number of clinicians prescribing buprenorphine-naloxone for opioid use disorders.

Effect of Raw Milk on Lactose Intolerance Study 134

Despite anecdotal reports of the benefit of raw milk for people who are lactose intolerant, this study does not support any benefit in symptoms or hydrogen breath testing.

Staffing Patterns in the CPC Initiative 142

In a study of practices committed to primary care innovation, most have traditional staffing models.

Relationships in Small Family Medicine Offices 150

This study defines some of the constraints and freedoms in medical assistant-clinician relationships in small family medicine offices, and proposes a "trust and verify" model.

Mild Cognitive Impairment in General Practice 158

One-quarter of primary care subjects with mild cognitive impairment progress to dementia within the next 3 years.

Building Blocks of High-Performing Primary Care 166

A practical conceptual model provides guidance in becoming a high-performing patient-centered medical home.

Behavioral Health Components in PCMHs 172

Seven components can help provide sustainable, value-added, integrated behavioral health care in the patient-centered medical home.