Supplemental materials for:

Ebell MH, Barry HC, Shaughnessy AF, Slawson DC, Kulkarni N, Speer L. Top 20 POEMs of the Past 20 Years: A Survey of Practice-Changing Research for Family Physicians. *Ann Fam Med*. 2018;16(5):436-439.

Supplemental Appendix 1. Journals currently reviewed monthly for POEMs.

Academic Emergency Medicine Acta Orthopaedica Age and Ageing Alimentary Pharmacology & Therapeutics American Heart Journal American Journal of Emergency Medicine American Journal of Gastroenterology American Journal of Medicine American Journal of Obstetrics and Gynecology American Journal of Ophthalmology American Journal of Preventive Medicine American Journal of Psychiatry American Journal of Public Health American Journal of Respiratory and Critical Care Medicine American Journal of Sports Medicine American Journal of Surgery Annals of Emergency Medicine Annals of Family Medicine Annals of Internal Medicine Annals of Surgery Annals of the Rheumatic Diseases Antimicrobial Agents and Chemotherapy Archives of Disease in Childhood Arthritis & Rheumatology Arthroscopy Birth BJOG **BMC Family Medicine BMC Medicine BMJ** Bone & Joint Journal British Journal of Dermatology British Journal of General Practice British Journal of Psychiatry British Journal of Surgery Canadian Family Physician Canadian Medical Association Journal Cancer Chest Circulation Clinical Otolaryngology **Critical Care Medicine Diabetes Diabetes Care Diabetic Medicine Digestive Diseases and Sciences** Diseases of the Colon & Rectum **European Heart Journal Family Medicine** Family Practice Fertility and Sterility

Gastroenterology Gut Heart International Journal of Clinical Practice JAMA JAMA Dermatology **JAMA** Internal Medicine JAMA Neurology JAMA Ophthalmology JAMA Otolaryngology—Head & Neck Surgery JAMA Pediatrics JAMA Psychiatry JAMA Surgery Journal of Allergy and Clinical Immunology Journal of Bone and Joint Surgery, American Volume Journal of Bone and Joint Surgery, British Volume Journal of Clinical Endocrinology and Metabolism Journal of Clinical Epidemiology Journal of Clinical Pharmacology Journal of General Internal Medicine Journal of Hospital Medicine Journal of Pediatrics Journal of Physiotherapy Journal of Shoulder and Elbow Surgery Journal of the American Academy of Dermatology Journal of the American Board of Family Medicine Journal of the American College of Cardiology Journal of the American College of Surgeons Journal of the American Geriatrics Society Journal of the National Cancer Institute Journal of Urology Lancet Lancet Infectious Diseases Medical Care Medical Decision Making Medical Journal of Australia Medicine & Science in Sports & Exercise Neurology Neurosurgery New England Journal of Medicine Obstetrics and Gynecology Pain Pediatrics **PLOS Medicine Preventive Medicine** Rheumatology Scandinavian Journal of Gastroenterology Scandinavian Journal of Infectious Diseases Southern Medical Journal Stroke Thorax

Supplemental Appendix 2: Top 5 POEMs for each year from 1998 to 2017. Bold face indicates top scoring POEM for that year.

Year	Title of POEM	Link to POEM in E
1998	Metformin best for obese type 2 diabetes mellitus (T2DM) (UKPDS 34)	http://www.essentialevidenc
1998	Strict blood pressure control effective in T2DM (UKPDS 38)	http://www.essentialevidence
1998	Bupropion effective for smoking cessation	http://www.essentialevidence
1998	Paroxetine effective for panic disorder	http://www.essentialevidence
1998	Vena caval filters don't reduce mortality in high risk patients	http://www.essentialevidence
1999	Beta-blockers effective in heart failure	http://www.essentialevidence
1999	Patches don't improve outcomes for corneal abrasion	http://www.essentialevidence
1999	Smoking status on patient charts improves physician counseling	http://www.essentialevidence
1999	Tissue adhesive provides good wound repair	http://www.essentialevidence
1999	Practice guidelines often unreliable	http://www.essentialevidence
2000	3 years between Pap smears adequate for many women	http://www.essentialevidence
2000	Bed rest is ineffective for treating anything	http://www.essentialevidence
2000	PHQ 9 questionnaire valid for mental disorder screening	http://www.essentialevidence
2000	Treating isolated systolic hypretension in the elderly prevents adverse outcomes	http://www.essentialevidence
2000	Tube feeding of no benefit in demented elderly	http://www.essentialevidence
2001	Managing rate and rhythm are similar for atrial fibrillation	http://www.essentialevidence
2001	Lipid lowering drugs effective for primary prevention	http://www.essentialevidence
2001	Steroids are beneficial to neonates in PPROM	http://www.essentialevidence
2001	ACE inhibitor effective in migraine treatment	http://www.essentialevidence
2001	Bupropion may be effective for adult attention deficit hyperactivity disorder	http://www.essentialevidence
2002	Hormone replacement overall not beneficial (WHI)	http://www.essentialevidence
2002	Delayed prescriptions reduce antibiotic use	http://www.essentialevidence
2002	Cholesterol and blood pressure lowering most important in diabetics	http://www.essentialevidence
2002	Smoking cessation 6-8 weeks before surgery reduces complications	http://www.essentialevidence
2002	Rule to predict final warfarin dose in atrial fibrillation (5 mg)	http://www.essentialevidence
2003	Self breast exam doesn't reduce mortality	http://www.essentialevidence
2003	Rate control better than rhythm control in atrial fibrillation (AFFIRM)	http://www.essentialevidence
2003	Deep vein thrombosis in less than 1% if normal d-dimer and not high risk by Wells rule	http://www.essentialevidence
2003	Simvastatin useful as primary prevention of CAD (HPS)	http://www.essentialevidence
2003	Ottawa ankle rules safely exclude fractures	http://www.essentialevidence
2004	Breast cancer screening results in overdiagnosis	http://www.essentialevidence
2004	Saline nasal irrigation effective for frequent sinusitis	http://www.essentialevidence
2004	3 year screening interval for Pap adequate for most patients	http://www.essentialevidence
2004	Delayed prescriptions for upper respiratory infection reduces antibiotic use	http://www.essentialevidence
2004	2 question screening for depression effective	http://www.essentialevidence
2005	Vaccine prevents HPV infection	http://www.essentialevidence
2005	Vitamin E not helpful, perhaps harmful	http://www.essentialevidence
2005	Bed rest bad for back pain, ineffective for sciatica	http://www.essentialevidence
2005	Early tymp tubes do not improve outcomes after 3+ years	http://www.essentialevidenco
2005	Rofecoxib increases risk of cardiovascular events	http://www.essentialevidence
2006	Mammography results in overdiagnosis	http://www.essentialevidence
2006	Delayed prescription for otitis media reduces unnecessary antibiotics	http://www.essentialevidence
2006	Diets: low carb equivelant to low fat for weight loss	http://www.essentialevidence
2006	Test-and-treat best for primary care dyspepsia	http://www.essentialevidence
2006	Omega 3 fats do not affect mortality	http://www.essentialevidence
2007	Home glucose monitoring ineffective	http://www.essentialevidence
2007	No incremental benefit for PCI added to optimal medical for stable CAD	http://www.essentialevidence
2007	As needed steroid plus beta-agonist works well in mild persistent asthma	http://www.essentialevidence
2007	Antiplatelet agents prevent preeclampsia	http://www.essentialevidence

2007	Prednisolone but not acyclovir effective for Bell's palsy	http://www.essentialevidence
2007	Intensive control of blood sugar in T2DM may be harmful (ACCORD)	http://www.essentialevidence
2008	Nuts, corn, and popcorn not associated with risk of diverticular disease	http://www.essentialevidence
2008	Self-monitoring ineffective in patients with diabetes	http://www.essentialevidence
2008	Surgery not effective for moderate/severe OA of knee	http://www.essentialevidence
2008	Sugar decreases pain signs in immunized infants	http://www.essentialevidence
2000	PSA screening does not reduce mortality from prostate cancer (PLCO)	http://www.essentialevidence
2009	No need to monitor bone mineral density after bisphosphonates started	http://www.essentialevidence
2009	Steroids hasten sore throat symptom resolution in adults	http://www.essentialevidence
2009	Mammography identifies many women who will not benefit from treatment	http://www.essentialevidence
2009	Treatment of acute otitis media leads to subsequent ear infections	http://www.essentialevidence
2010	Statin + fenofibrate no better than statin alone in T2DM (ACCORD)	http://www.essentialevidence
2010	Antivirals can prevent influenza but treatment of symptoms is less impressive	http://www.essentialevidence
2010	Blood pressure target of 120 no better than 140 in T2DM (ACCORD)	http://www.essentialevidence
2010	Anterior cruciate ligament reconstruction not necessary for good clinical outcome	http://www.essentialevidence
2010	Acute-onset visual floaters and flashes and the risk for retinal detachment	http://www.essentialevidence
2011	Rivaroxaban similar to warfarin for patients with NVAF	http://www.essentialevidence
2011	Mediterranean diet associated with reduced morbidity and mortality	http://www.essentialevidence
2011	Rivaroxaban effective for acute deep vein thrombosis (EINSTEIN)	http://www.essentialevidence
2011	Screening for breast cancer: false-positive rate is 60% over 10 years	http://www.essentialevidence
2011	Following STOPP criteria can decrease adverse drug effects in older patients	http://www.essentialevidence
2012	Therapy with antibiotics is an option for early uncomplicated acute appendicitis	http://www.essentialevidence
2012	CIN 2 among women younger than 25 likely to regress	http://www.essentialevidence
2012	Gut feelings have good negative predictive value for serious infection in children	http://www.essentialevidence
2012	Annual screening chest x-ray does not reduce lung cancer mortality	http://www.essentialevidence
2012	Restriction of sodium may be harmful for patients with cardiovascular disease	http://www.essentialevidence
2013	Fasting not necessary before lipid panels	http://www.essentialevidence
2013	Steroid injection for lateral epicondylitis worse than saline after 1 year	http://www.essentialevidence
2013	Probiotics prevent C. diff-associated diarrhea in patients taking antibiotics	http://www.essentialevidence
2013	Daily multivitamins do not reduce major CV events in men and do not affect mortality	http://www.essentialevidence
2013	Colchicine effective for first episode of acute pericarditis	http://www.essentialevidence
2014	Niacin doesn't improve outcomes in patients with vascular disease	http://www.essentialevidence
2014	Surgery ineffective for non-traumatic partial medial meniscus tear	http://www.essentialevidence
2014	Aspirin in low doses decreases preeclampsia risk	http://www.essentialevidence
2014	Varenicline plus nicotine replacement therapy more effective than varenicline alone	http://www.essentialevidence
2014	CBT plus amitriptyline optimal for chronic migraine in children and adolescents	http://www.essentialevidence
2015	Steroids beneficial as adjunctive treatment for community-acquired pneumonia	http://www.essentialevidence
2015	Post-MI beta-blockers do not decrease mortality	http://www.essentialevidence
2015	Many patients with uncomplicated acute appendicitis do well with antibiotic therapy	http://www.essentialevidence
2015	Naproxen alone may be best for acute low back pain	http://www.essentialevidence
2015	Clopidogrel + aspirin superior to aspirin alone following TIA or minor stroke	http://www.essentialevidence
2016	Active surveillance for localized prostate cancer: no increased mortality, but higher rates of clinical progression (ProtecT)	http://www.essentialevidence
2016	Liraglutide reduces mortality (NNT = 71) in patients with T2DM and very high CV risk	http://www.essentialevidence
2016	CPAP doesn't reduce cardiovascular events (RICCADSA)	http://www.essentialevidence
2016	Trim-sulfa improves cure rate for cutaneous skin abscess after incision and drainage	http://www.essentialevidence
2016	Dilute apple juice at least as good as electrolytes for children with mild gastroenteritis	http://www.essentialevidence
2017	Semaglutide reduces CV events in high-risk patients with T2DM	http://www.essentialevidence
2017	Steroid injections ineffective for knee osteoarthritis	http://www.essentialevidence
2017	Lipid treatment for primary prevention not effective in older adults	http://www.essentialevidence
2017	Personal sound amplification works as well as a hearing aid at 20% of the cost	http://www.essentialevidence
2017	Aspirin started early in pregnancy reduces risk of preeclampsia and IUGR	