

Annals of Family Medicine, Inc. 11400 Tomahawk Creek Parkway Leawood, KS 66211-2680 NONPROFIT ORG US POSTAGE PAID LAWRENCE, KS PERMIT NO. 116

In this issue of the Annals of Family Medicine

Text Message Reminders to Increase Flu Vaccination Coverage 507

A text message to patients from their family practice increases rates of influenza immunization.

Continuity of Primary Care and Emergency Hospital Admission 515

Older patients who experience more discontinuity of care in general practice have a higher risk of emergency hospitalization.

Auscultation While Standing to Rule Out Heart Murmur 523

The disappearance of beart murmur while standing can help rule out pathological beart murmurs in children.

Exploring Attributes of High-Value Primary Care 529

Higb-value primary care practices, with lower costs and bigher quality, are distinguished by six attributes.

GP-Performed Compression Ultrasonography to Diagnose DVT 535

Compression ultrasonography by trained general practitioners may be an accurate alternative in diagnosing proximal deep vein thrombosis.

A Physician's Autoethnography of Postpartum Depression 540

A pbysician explores her experience with postpartum depression through narrative and analysis.

Multimorbidity and Decision Making in Older Adults 546

Most older adults with multiple chronic conditions prefer shared decision making.

Trends in Patient-Perceived Shared Decision Making, 2002-2014 552

Between 2002 and 2014, patient reports of shared decision making increased significantly.

Factors Influencing Allopurinol Initiation in Primary Care 557

Optimizing treatment for gout requires ongoing monitoring of opportunities for urate-lowering therapy.

Measures of Anticholinergic Burden and Adverse Clinical Outcomes 561

Greater anticholinergic burden is associated with more emergency department visits, bospitalizations, and incident dementia in older adults.

Developing and Reporting New Models of Care for Multimorbidity 570

A framework for models of multimorbidity care categorizes elements of interventions to improve care.