

**Online Supplementary Material**

Newman RJ, Nichols DB, Cummings DM. Outpatient colonoscopy by rural family physicians. *Ann Fam Med*. 2005;3:122-125.

<http://www.annfammed.org/cgi/content/full/3/2/122/DC1>

**Supplemental Appendix 2. Adenoma Yield by Age and Sex (N = 731 Cases)**

Age, Years	Percent of Men With Adenomas* (Number/Examinations)	Percent of Women With Adenomas (Number/Examinations)	Percent of Patients With Adenomas <sup>†</sup> (Number/Examinations)
<21	0.0 (0/1)	0.0 (0/0)	0.0 (0/1)
21-29	0.0 (0/3)	0.0 (0/3)	0.0 (0/6)
30-39	10 (1/10)	15.4 (2/13)	13 (3/23)
40-49	14.3 (4/28)	27.3 (6/22)	20 (10/50)
50-59	31.1 (33/106)	17 (17/100)	24.3 (50/206)
60-69	24.3 (28/115)	26.4 (29/110)	25.3 (57/225)
70-79	25 (18/72)	17.7 (17/96)	20.8 (35/168)
80-89	31.6 (6/19)	33.3 (9/27)	32.6 (15/46)
90-99	0.0 (0/0)	0.0 (0/4)	0.0 (0/4)

\* Adenomas include both adenomatous polyps and villous adenomas.

† There was a 27% incidence of adenomas in men >50 y and a 21.4% incidence in women >50 y, approaching statistical significance ( $P = .081$ ).