

Corrections

Ann Fam Med 2008;6:361. DOI: 10.1370/afm.901.

Steiner BD, Denham AC, Askin E, Newton WP, Wroth, Dobson LA Jr: Community Care of North Carolina: improving care through community health networks. *Ann Fam Med*. 2008;6(4):361-367.

A typographic error occurred on the last line of Table 1, column 2. The LDL control <100 mg/dL for CCNC patients should be 56% rather than 5%. A corrected Table 1 is shown below:

Measure	NCQA^a Threshold %	CCNC Patients %
HbA _{1c} control < 7.0%	40	47 ^b
HbA _{1c} control > 9.0%	≤15	21
Blood pressure control ≥140/90 mm Hg (SBP ≥140 or DBP ≥90)	≤35	34 ^b
Blood pressure control < 130/80 mm Hg (SBP < 130 and DBP < 80)	25	37 ^b
LDL control ≥130 mg/dL	≤37	19 ^b
LDL control < 100 mg/dL	36	56 ^b

CCNC = Community Care of North Carolina; DBP = diastolic blood pressure; DPRP = Diabetes Physician Recognition Program; HbA_{1c} = glycated hemoglobin; LDL = low-density lipoprotein cholesterol; NCQA = National Committee for Quality Assurance; SBP = systolic blood pressure.

^a Threshold from NCQA DPRP 2006 used for comparison purposes only.

^b Meets threshold.

In the same article, the authors want to acknowledge the contributions of the leadership and practicing physicians who have made Community Care of North Carolina a reality over the last decade, as well as the North Carolina Foundation for Advanced Health Programs for its support of Community Care of North Carolina.