

Supplemental material for:

Hedden L, Lavergne M, McGrail KM, et al. Trends in Providing Out-of-office, urgent after-hours, and on-call care in British Columbia. *Ann Fam Med*. 2019;17(2):116-124.

Table S1: Proportion of care provided out-of-office

Variable	Model1: Rural		Model 2: Urban		Model 3: Metropolitan	
	OR	95% CI	OR	95% CI	OR	95% CI
Gender (female)	0.3	0.20-0.45*	0.5	0.34-0.73†	0.6	0.44-0.82‡
Year (continuous)	0.98	0.92-1.03	0.95	0.91-1.00‡	0.94	0.91-0.98‡
Age: 35-<45	0.66	0.46-0.93‡	0.67	0.48-0.95‡	0.79	0.61-1.03
Age: 45-<55	0.37	0.25-0.56*	0.63	0.43-0.93‡	0.49	0.37-0.67*
Age: 55-<65	0.23	0.15-0.37*	0.35	0.23-0.53*	0.27	0.20-0.38*
Age: 65+	0.15	0.08-0.28*	0.2	0.12-0.33*	0.17	0.12-0.26*
Training (international)	0.9	0.61-1.32	0.35	0.24-0.50*	0.4	0.29-0.55*
Proportion APP	4.38	2.69-7.14*	10.58	7.14-15.70*	5.99	4.65-7.71*
Proportion Female	5.23	2.25-12.17†	0.29	0.12-0.68‡	0.3	0.18-0.50*
Proportion 65+						555.96-
Proportion 1+ Chronic ADGs	3.22	1.34-7.77‡	2.91	1.34-6.30‡	912.78	1498.62*
		159.25-		161.97-		162.65-
	350.65	772.09*	361.41	806.42*	262.51	423.69*
Proportion low SES	0.66	0.30-1.47	22.09	8.30-58.77*	0.93	0.52-1.65

*p<0.0001 †p<0.001 ‡p<0.05