

Online Supplementary Material

Segal J, Eng J, Tamariz L, Bass E. Review of the evidence on diagnosis of deep venous thrombosis and pulmonary embolism. *Ann Fam Med*. 2007; 5:63-73.

<http://www.annfammed.org/cgi/content/full/5/1/63/DC1>

<b>Supplemental Appendix 2, Table 1. Articles Included in Systematic Reviews of D-dimer Testing for Diagnosis of Venous Thromboembolism</b>					
<b>Author, Year</b>	<b>Becker et al, 1996</b>	<b>Brown et al, 2002</b>	<b>Brown et al, 2003</b>	<b>Heim et al, 2004</b>	<b>Stein et al, 2004</b>
Elms et al, 1983	x	—	—	—	—
Whitaker et al, 1984	x	—	—	—	—
Hafter et al, 1985	x	—	—	—	—
Elms et al, 1986	x	—	—	—	—
Heaton et al, 1987	x	—	—	—	—
Goldhaber et al, 1988	x	—	—	—	—
Ott et al, 1988	x	—	—	—	—
Bounameaux et al, 1989	x	—	—	—	—
Bounameaux et al, 1989	x	—	—	—	—
Elias & Serradimigni, 1989	—	—	—	—	x
Chapman et al, 1990	x	—	—	—	—
Speiser et al, 1990	x	—	—	—	x
Boneau et al, 1991*	x	—	—	—	x
Bounameaux et al, 1991	x	—	—	—	—
Chang-Liem et al, 1991	x	—	—	—	x
Kronman et al, 1991*	x	—	—	—	—
Leitha et al, 1991	x	—	—	—	x
Cooper et al, 1992	x	—	—	—	—
Demers et al, 1992	x	x	—	—	—
Carter et al, 1993	x	—	—	—	—
Ginsberg et al, 1993	x	x	—	—	x
Goldhaber et al, 1993	x	—	—	—	—
Lenzhofer et al, 1993	—	x	—	—	x
Pappas et al, 1993	x	—	—	—	—

*Continued*

<b>Supplemental Appendix 2, Table 1. Articles Included in Systematic Reviews of D-dimer Testing for Diagnosis of Venous Thromboembolism</b>					
<b>Author, Year</b>	<b>Becker et al, 1996</b>	<b>Brown et al, 2002</b>	<b>Brown et al, 2003</b>	<b>Heim et al, 2004</b>	<b>Stein et al, 2004</b>
Pini et al, 1993*	x	—	—	—	—
van Beek et al, 1993	x	—	—	—	—
de Moerloose et al, 1994	—	x	—	—	—
Dale et al, 1994	x	—	—	—	x
Harrison, 1994*	x	—	—	—	—
Hansson et al, 1994	x	—	—	—	x
Quinn et al, 1994	x	—	—	—	—
Tengborn et al, 1994	—	—	—	—	x
Brenner et al, 1995	—	—	—	x	—
Flores et al, 1995	—	—	—	—	x
Ginsberg et al, 1995	x	—	—	—	—
Wells et al, 1995	—	—	—	x	—
de Moerloose et al, 1996	—	x	—	—	—
D'Angelo et al, 1996	—	—	—	x	—
Elias et al, 1996	—	—	—	x	x
Veid et al, 1996*	—	—	—	—	x
Fiessinger et al, 1997	—	—	—	x	—
Janssen et al, 1997	—	—	—	x	—
Knecht & Heinrich 1997	—	—	x	—	—
Legnani et al, 1997	—	—	—	x	x
Leroyer at al, 1997	—	—	—	x	—
Mayer et al, 1997	—	—	—	—	x
Perrier et al, 1997	—	x	—	—	—
Scarano et al, 1997	—	—	—	x	—
Bounameaux et al, 1998	—	—	—	—	x
Duct et al, 1998*	—	—	—	—	x
Escoffre-Barbe et al, 1998	—	—	—	x	x
Khaira and Mann, 1998	—	—	—	x	—
Lindahl et al, 1998	—	—	—	—	x
Meyer et al, 1998	—	x	x	—	x
Oger et al, 1998	—	—	—	—	x
Reber et al, 1998	—	—	x	—	—
Tardy et al, 1998	—	x	—	—	—

Continued

<b>Supplemental Appendix 2, Table 1. Articles Included in Systematic Reviews of D-dimer Testing for Diagnosis of Venous Thromboembolism</b>					
<b>Author, Year</b>	<b>Becker et al, 1996</b>	<b>Brown et al, 2002</b>	<b>Brown et al, 2003</b>	<b>Heim et al, 2004</b>	<b>Stein et al, 2004</b>
Wijns et al, 1998	—	—	—	x	—
Barro et al, 1999	—	x	—	—	—
Carter et al, 1999	—	—	—	x	—
Heit et al, 1999	—	x	x	—	x
Legnani et al, 1999	—	—	—	x	x
Lennox et al, 1999	—	—	—	x	—
Perrier et al, 1999	—	x	—	x	—
Wahlander et al, 1999	—	—	—	—	x
Wells et al, 1999	—	—	—	x	—
Farrell et al, 2000	—	—	—	x	—
Permpikul et al, 2000	—	—	—	x	—
Sadouk et al, 2000	—	—	—	x	x
van der Graaf et al, 2000	—	—	—	x	x
Wallis et al, 2000	—	—	—	—	x
Bates et al, 2001	—	—	x	—	—
Funfsinn et al, 2001	—	—	—	x	x
Kovacs et al, 2001	—	—	x	—	—
Harper et al, 2001	—	—	—	x	—
Reber et al, 2001	—	—	x	—	—
Shitrit et al, 2001	—	—	—	—	x
Larsen et al, 2002	—	—	—	—	x
de Monye et al, 2002	—	—	—	—	x
Kline & Wells, 2003	—	—	x	—	—
Schrecengost et al, 2003	—	—	x	—	—
* Reference not found.					

**Supplemental Appendix 2, Table 2. References for Systematic Reviews and Articles Included in the Systematic Reviews of D-dimer Testing for Diagnosis of Venous Thromboembolism**

**Systematic reviews**

- Becker DM, Philbrick JT, Bachhuber TL, Humphries JE. D-dimer testing and acute venous thromboembolism. A shortcut to accurate diagnosis? *Arch Intern Med.* 1996;156(9):939-946.
- Brown MD, Rowe BH, Reeves MJ, Bermingham JM, Goldhaber SZ. The accuracy of the enzyme-linked immunosorbent assay D-dimer test in the diagnosis of pulmonary embolism: a meta-analysis. *Ann Emerg Med.* 2002;40(2):133-144.
- Brown MD, Lau J, Nelson RD, Kline JA. Turbidimetric D-dimer test in the diagnosis of pulmonary embolism: a metaanalysis. *Clin Chem.* 2003;49(11):1846-1853.
- Heim SW, Schectman JM, Siadaty MS, Philbrick JT. D-dimer testing for deep venous thrombosis: a metaanalysis. *Clin Chem.* 2004;50(7):1136-1147.
- Stein PD, Hull RD, Patel KC, et al. D-dimer for the exclusion of acute venous thrombosis and pulmonary embolism: a systematic review. *Ann Intern Med.* 2004;140(8):589-602.

**Articles included in the systematic reviews**

- Barro C, Bosson JL, Pernod G, Carpentier PH, Polack B. Plasma D-dimers: comparison of ELISA with a new, rapid, quantitative latex assay. *Clin Lab Haematol.* 1999;21(5):363-364.
- Bates SM, Grand'Maison A, Johnston M, et al. A latex D-dimer reliably excludes venous thromboembolism. *Arch Intern Med.* 2001;161(3):447-453.
- Bounameaux H, Miron MJ, Blanchard J, et al. Measurement of plasma D-dimer is not useful in the prediction or diagnosis of postoperative deep vein thrombosis in patients undergoing total knee arthroplasty. *Blood Coagul Fibrinolysis.* 1998;9(8):749-752.
- Bounameaux H, Schneider PA, Reber G, de Moerloose P, Krahenbuhl B. Measurement of plasma D-dimer for diagnosis of deep venous thrombosis. *Am J Clin Pathol.* 1989;91(1):82-85.
- Bounameaux H, Slosman D, de Moerloose P, Reber G. Laboratory diagnosis of pulmonary embolism: value of increased levels of plasma D-dimer and thrombin—antithrombin III complexes. *Biomed Pharmacother.* 1989;43(5):385-388.
- Brenner B, Pery M, Lanir N, et al. Application of a bedside whole blood D-dimer assay in the diagnosis of deep vein thrombosis. *Blood Coagul Fibrinolysis.* 1995;6(3):219-222.
- Carter CJ, Doyle DL, Dawson N, Fowler S, Devine DV. Investigations into the clinical utility of latex D-dimer in the diagnosis of deep venous thrombosis. *Thromb Haemost.* 1993;69(1):8-11, 24.
- Carter CJ, Serrano K, Breen DJ, Buckley AR, Devine DV. Rapid fibrin D-dimer tests for deep venous thrombosis: factors affecting diagnostic utility. *J Emerg Med.* 1999;17(4):605-610.
- Chang-Liem GS, Lustermsans FA, van Wersch JW. Comparison of the appropriateness of the latex and Elisa plasma D-dimer determination for the diagnosis of deep venous thrombosis. *Haemostasis.* 1991;21(2):106-110.
- Chapman CS, Akhtar N, Campbell S, et al. The use of D-Dimer assay by enzyme immunoassay and latex agglutination techniques in the diagnosis of deep vein thrombosis. *Clin Lab Haematol.* 1990;12(1):37-42.
- Cooper DL, Sandler AB, Wilson LD, Duffy TP. Disseminated intravascular coagulation and excessive fibrinolysis in a patient with metastatic prostate cancer. Response to epsilon-aminocaproic acid. *Cancer.* 1992;70(3):656-658.
- Dale S, Gogstad GO, Brosstad F, et al. Comparison of three D-dimer assays for the diagnosis of DVT:ELISA, latex and an immunofiltration assay (NycoCard D-Dimer). *Thromb Haemost.* 1994;71(3):270-274.
- D'Angelo A, D'Alessandro G, Tomassini L, et al. Evaluation of a new rapid quantitative D-dimer assay in patients with clinically suspected deep vein thrombosis. *Thromb Haemost.* 1996;75(3):412-416.
- de Moerloose P, Desmarais S, Bounameaux H, et al. Contribution of a new, rapid, individual and quantitative automated D-dimer ELISA to exclude pulmonary embolism. *Thromb Haemost.* 1996;75(1):11-13.

Continued

**Supplemental Appendix 2, Table 2, Continued**

- de Moerloose P, Minazio P, Reber G, Perrier A, Bounameaux H. D-dimer determination to exclude pulmonary embolism: a two-step approach using latex assay as a screening tool. *Thromb Haemost.* 1994;72(1):89-91.
- de Monye W, Sanson BJ, Buller HR, Pattynama PM, Huisman MV. The performance of two rapid quantitative D-dimer assays in 287 patients with clinically suspected pulmonary embolism. *Thromb Res.* 2002;107(6):283-286.
- Demers C, Ginsberg JS, Johnston M, Brill-Edwards P, Panju A. D-dimer and thrombin-antithrombin III complexes in patients with clinically suspected pulmonary embolism. *Thromb Haemost.* 1992;67(4):408-412.
- Elias A, Aptel I, Huc B, et al. D-dimer test and diagnosis of deep vein thrombosis: a comparative study of 7 assays. *Thromb Haemost.* 1996;76(4):518-522.
- Elias A, Serradimigni A. [Exploratory strategy in venous thromboembolic disease]. *Ann Cardiol Angeiol (Paris).* 1989;38(8):485-493.
- Elms MJ, Bunce IH, Bundesen PG, et al. Measurement of crosslinked fibrin degradation products - an immunoassay using monoclonal antibodies. *Thromb Haemost.* 1983;50(2):591-594.
- Elms MJ, Bunce IH, Bundesen PG, et al. Rapid detection of cross-linked fibrin degradation products in plasma using monoclonal antibody-coated latex particles. *Am J Clin Pathol.* 1986;85(3):360-364.
- Ecoffre-Barbe M, Oger E, Leroyer C, et al. Evaluation of a new rapid D-dimer assay for clinically suspected deep venous thrombosis (Liatest D-dimer). *Am J Clin Pathol.* 1998;109(6):748-753.
- Farrell S, Hayes T, Shaw M. A negative SimpliRED D-dimer assay result does not exclude the diagnosis of deep vein thrombosis or pulmonary embolus in emergency department patients. *Ann Emerg Med.* 2000;35(2):121-125.
- Fiessinger JN, Heron E, Jacq F, Rance A, Emmerich J. Rapid blood test for the exclusion of venous thromboembolism in symptomatic outpatients. *Thromb Haemost.* 1997;77(5):1042-1043.
- Flores J, Lancha C, Perez Rodriguez E, et al. Efficacy of D-dimer and total fibrin degradation products evaluation in suspected pulmonary embolism. *Respiration.* 1995;62(5):258-262.
- Funfsinn N, Caliezi C, Biasiutti FD, et al. Rapid D-dimer testing and pre-test clinical probability in the exclusion of deep venous thrombosis in symptomatic outpatients. *Blood Coagul Fibrinolysis.* 2001;12(3):165-170.
- Ginsberg JS, Brill-Edwards PA, Demers C, Donovan D, Panju A. D-dimer in patients with clinically suspected pulmonary embolism. *Chest.* 1993;104(6):1679-1684.
- Ginsberg JS, Wells PS, Brill-Edwards P, et al. Application of a novel and rapid whole blood assay for D-dimer in patients with clinically suspected pulmonary embolism. *Thromb Haemost.* 1995;73(1):35-38.
- Goldhaber SZ, Simons GR, Elliott CG, et al. Quantitative plasma D-dimer levels among patients undergoing pulmonary angiography for suspected pulmonary embolism. *Jama.* 1993;270(23):2819-2822.
- Goldhaber SZ, Vaughan DE, Tumei SS, Loscalzo J. Utility of cross-linked fibrin degradation products in the diagnosis of pulmonary embolism. *Am Heart J.* 1988;116(2 Pt 1):505-508.
- Hafter R, Schrock R, von Hugo R, Graeff H. Measurement of crosslinked fibrin derivatives in plasma and ascitic fluid with monoclonal antibodies against D-dimer using EIA and latex test. *Scand J Clin Lab Invest Suppl.* 1985;178:137-144.
- Hansson PO, Eriksson H, Eriksson E, et al. Can laboratory testing improve screening strategies for deep vein thrombosis at an emergency unit? *J Intern Med.* 1994;235(2):143-151.
- Harper P, Marson C, Grimmer A, et al. The rapid whole blood agglutination d-dimer assay has poor sensitivity for use as an exclusion test in suspected deep vein thrombosis. *N Z Med J.* 2001;114(1126):61-64.
- Heaton DC, Billings JD, Hickton CM. Assessment of D dimer assays for the diagnosis of deep vein thrombosis. *J Lab Clin Med.* 1987;110(5):588-591.
- Heit JA, Minor TA, Andrews JC, et al. Determinants of plasma fibrin D-dimer sensitivity for acute pulmonary embolism as defined by pulmonary angiography. *Arch Pathol Lab Med.* 1999;123(3):235-240.
- Janssen MC, Heebels AE, de Metz M, et al. Reliability of five rapid D-dimer assays compared to ELISA in the exclusion of deep venous thrombosis. *Thromb Haemost.* 1997;77(2):262-266.
- Khaira HS, Mann J. Plasma D-dimer measurement in patients with suspected DVT—a means of avoiding unnecessary venography. *Eur J Vasc Endovasc Surg.* 1998;15(3):235-238.

Continued

**Supplemental Appendix 2, Table 2, Continued**

- Kline JA, Wells PS. Methodology for a rapid protocol to rule out pulmonary embolism in the emergency department. *Ann Emerg Med.* 2003;42(2):266-275.
- Knecht MF, Heinrich F. Clinical evaluation of an immunoturbidimetric D-dimer assay in the diagnostic procedure of deep vein thrombosis and pulmonary embolism. *Thromb Res.* 1997;88(5):413-417.
- Kovacs MJ, MacKinnon KM, Anderson D, et al. A comparison of three rapid D-dimer methods for the diagnosis of venous thromboembolism. *Br J Haematol.* 2001;115(1):140-144.
- Larsen TB, Stoffersen E, Christensen CS, Laursen B. Validity of D-dimer tests in the diagnosis of deep vein thrombosis: a prospective comparative study of three quantitative assays. *J Intern Med.* 2002;252(1):36-40.
- Legnani C, Pancani C, Palareti G, Guazzaloca G, Coccheri S. Contribution of a new, rapid, quantitative and automated method for D-dimer measurement to exclude deep vein thrombosis in symptomatic outpatients. *Blood Coagul Fibrinolysis.* 1999;10(2):69-74.
- Legnani C, Pancani C, Palareti G, et al. Comparison of new rapid methods for D-dimer measurement to exclude deep vein thrombosis in symptomatic outpatients. *Blood Coagul Fibrinolysis.* 1997;8(5):296-302.
- Leitha T, Speiser W, Dudczak R. Pulmonary embolism. Efficacy of D-dimer and thrombin-antithrombin III complex determinations as screening tests before lung scanning. *Chest.* 1991;100(6):1536-1541.
- Lennox AF, Nicolaidis AN. Rapid D-dimer testing as an adjunct to clinical findings in excluding pulmonary embolism. *Thorax.* 1999;54 Suppl 2:S33-36.
- Lenzhofer R, Wimmer F, Haydl H, et al. [Prospective study of determining the value of D-dimer in diagnosing pulmonary embolism]. *Wien Klin Wochenschr.* 1993;105(17):492-496.
- Leroyer C, Escoffre M, Le Moigne E, et al. Diagnostic value of a new sensitive membrane based technique for instantaneous D-dimer evaluation in patients with clinically suspected deep venous thrombosis. *Thromb Haemost.* 1997;77(4):637-640.
- Lindahl TL, Lundahl TH, Ranby M, Fransson SG. Clinical evaluation of a diagnostic strategy for deep venous thrombosis with exclusion by low plasma levels of fibrin degradation product D-dimer. *Scand J Clin Lab Invest.* 1998;58(4):307-316.
- Mayer W, Hirschwehr R, Hippmann G, et al. Whole-blood immunoassay (SimpliRED) versus plasma immunoassay (Nycocard) for the diagnosis of clinically suspected deep vein thrombosis. *Vasa.* 1997;26(2):97-101.
- Meyer G, Fischer AM, Collignon MA, et al. Diagnostic value of two rapid and individual D-dimer assays in patients with clinically suspected pulmonary embolism: comparison with microplate enzyme-linked immunosorbent assay. *Blood Coagul Fibrinolysis.* 1998;9(7):603-608.
- Oger E, Leroyer C, Bressollette L, et al. Evaluation of a new, rapid, and quantitative D-Dimer test in patients with suspected pulmonary embolism. *Am J Respir Crit Care Med.* 1998;158(1):65-70.
- Ott P, Astrup L, Jensen RH, Nyeland B, Pedersen B. Assessment of D-dimer in plasma: diagnostic value in suspected deep venous thrombosis of the leg. *Acta Med Scand.* 1988;224(3):263-267.
- Pappas AA, Dalrymple G, Harrison K, et al. The application of a rapid D-dimer test in suspected pulmonary embolus. *Arch Pathol Lab Med.* 1993;117(10):977-980.
- Permpikul C, Chantavatcharakorn K, Bouranasompop C, Chaiyasoot W. Whole blood agglutination D-dimer test for the diagnosis of deep vein thrombosis. *J Med Assoc Thai.* 2000;83(7):732-736.
- Perrier A, Desmarais S, Goehring C, et al. D-dimer testing for suspected pulmonary embolism in outpatients. *Am J Respir Crit Care Med.* 1997;156(2 Pt 1):492-496.
- Perrier A, Desmarais S, Miron MJ, et al. Non-invasive diagnosis of venous thromboembolism in outpatients. *Lancet.* 1999;353(9148):190-195.
- Quinn RJ, Nour R, Butler SP, et al. Pulmonary embolism in patients with intermediate probability lung scans: diagnosis with Doppler venous US and D-dimer measurement. *Radiology.* 1994;190(2):509-511.
- Reber G, Bounameaux H, Perrier A, de Moerloose P. Performances of a new, automated latex assay for the exclusion of venous thromboembolism. *Blood Coagul Fibrinolysis.* 2001;12(3):217-220.

Continued

**Supplemental Appendix 2, Table 2, Continued**

- Reber G, de Moerloose P, Coquoz C, Bounameaux H. Comparison of two rapid D-dimer assays for the exclusion of venous thromboembolism. *Blood Coagul Fibrinolysis*. 1998;9(4):387-388.
- Sadouk M, Desmarais S, Patenaude JV, Lepage R. Comparison of diagnostic performance of three new fast D-dimer assays in the exclusion of deep vein thrombosis. *Clin Chem*. 2000;46(2):286-287.
- Scarano L, Bernardi E, Prandoni P, et al. Accuracy of two newly described D-dimer tests in patients with suspected deep venous thrombosis. *Thromb Res*. 1997;86(2):93-99.
- Schreengost JE, LeGallo RD, Boyd JC, et al. Comparison of diagnostic accuracies in outpatients and hospitalized patients of D-dimer testing for the evaluation of suspected pulmonary embolism. *Clin Chem*. 2003;49(9):1483-1490.
- Shitrit D, Heyd J, Raveh D, Rudensky B. Diagnostic value of the D-dimer test in deep vein thrombosis: improved results by a new assay method and by using discriminate levels. *Thromb Res*. 2001;102(2):125-131.
- Speiser W, Mallek R, Koppensteiner R, et al. D-dimer and TAT measurement in patients with deep venous thrombosis: utility in diagnosis and judgement of anticoagulant treatment effectiveness. *Thromb Haemost*. 1990;64(2):196-201.
- Tardy B, Tardy-Poncet B, Viallon A, et al. Evaluation of D-dimer ELISA test in elderly patients with suspected pulmonary embolism. *Thromb Haemost*. 1998;79(1):38-41.
- Tengborn L, Palmblad S, Wojciechowski J, Peterson LE, Stigendal L. D-dimer and thrombin/antithrombin III complex—diagnostic tools in deep venous thrombosis? *Haemostasis*. 1994;24(6):344-350.
- van Beek EJ, van den Ende B, Berckmans RJ, et al. A comparative analysis of D-dimer assays in patients with clinically suspected pulmonary embolism. *Thromb Haemost*. 1993;70(3):408-413.
- van der Graaf F, van den Borne H, van der Kolk M, et al. Exclusion of deep venous thrombosis with D-dimer testing—comparison of 13 D-dimer methods in 99 outpatients suspected of deep venous thrombosis using venography as reference standard. *Thromb Haemost*. 2000;83(2):191-198.
- Wahlander K, Tengborn L, Hellstrom M, et al. Comparison of various D-dimer tests for the diagnosis of deep venous thrombosis. *Blood Coagul Fibrinolysis*. 1999;10(3):121-126.
- Wallis JW, Kruij M, de Jongh-Leuvenink J, Buller HR. A comparative study of two rapid D-dimer tests for the exclusion of pulmonary embolism in symptomatic patients. *Thromb Haemost*. 2000;84(5):925.
- Wells PS, Anderson DR, Bormanis J, et al. Application of a diagnostic clinical model for the management of hospitalized patients with suspected deep-vein thrombosis. *Thromb Haemost*. 1999;81(4):493-497.
- Wells PS, Brill-Edwards P, Stevens P, et al. A novel and rapid whole-blood assay for D-dimer in patients with clinically suspected deep vein thrombosis. *Circulation*. 1995;91(8):2184-2187.
- Whitaker AN, Elms MJ, Masci PP, et al. Measurement of cross linked fibrin derivatives in plasma: an immunoassay using monoclonal antibodies. *J Clin Pathol*. 1984;37(8):882-887.
- Wijns W, Daoud N, Droeshout I, et al. Evaluation of two D-Dimer assays in the diagnosis of venous thromboembolism. *Acta Clin Belg*. 1998;53(4):270-274.