

**Online Supplementary Material**

Segal J, Eng J, Tamariz L, Bass E. Review of the evidence on diagnosis of deep venous thrombosis and pulmonary embolism. *Ann Fam Med.* 2007;5:63-73.

<http://www.annfammed.org/cgi/content/full/5/1/63/DC1>

**Supplemental Appendix 4, Table 1. Articles Included in Systematic Reviews of Computed Tomography for Detection of Pulmonary Emboli**

| Author, Year                            | Harvey et al, 2000 | Mullins et al, 2000 | Rathbun et al, 2000 | Cueto et al, 2001 | van Beek et al, 2001 | Safriel et al, 2002 | Roy et al, 2005 | Hayashino et al, 2005 | Hogg et al, 2006 | Segal et al, 2006 (current) |
|---|--------------------|---------------------|---------------------|-------------------|----------------------|---------------------|-----------------|-----------------------|------------------|-----------------------------|
| Blum, 1992*                             | —                  | —                   | —                   | x                 | —                    | —                   | —               | x                     | —                | x                           |
| Remy-Jardin et al, 1992                 | x                  | x                   | x                   | x                 | —                    | x                   | x               | x                     | x                | x                           |
| Teigen et al, 1993                      | x                  | —                   | —                   | —                 | —                    | —                   | —               | —                     | —                | —                           |
| Blum et al, 1994                        | x                  | x                   | x                   | —                 | x                    | —                   | —               | —                     | —                | —                           |
| Steiner et al, 1994                     | —                  | —                   | —                   | —                 | x                    | —                   | —               | —                     | x                | —                           |
| Dresel et al, 1995                      | —                  | —                   | x                   | —                 | x                    | —                   | —               | —                     | —                | —                           |
| Goodman et al, 1995                     | x                  | x                   | x                   | x                 | x                    | x                   | —               | x                     | x                | x                           |
| Teigen et al, 1995                      | x                  | —                   | —                   | —                 | —                    | —                   | —               | —                     | —                | —                           |
| Remy-Jardin et al, 1996                 | x                  | x                   | x                   | x                 | x                    | x                   | x               | x                     | x                | x                           |
| Sostman et al, 1996                     | —                  | x                   | x                   | —                 | —                    | x                   | —               | —                     | x                | —                           |
| van Rossum et al, 1996a (Pulmonary ...) | x                  | x                   | x                   | —                 | x                    | x                   | —               | —                     | —                | —                           |
| van Rossum et al, 1996b (Role of...)    | x                  | x                   | x                   | —                 | x                    | —                   | x               | —                     | —                | —                           |
| Bergin et al, 1997                      | —                  | —                   | —                   | —                 | —                    | x                   | —               | —                     | —                | —                           |
| Christainsen et al, 1997                | —                  | x                   | —                   | —                 | —                    | —                   | —               | —                     | x                | x                           |
| Ferretti et al, 1997                    | —                  | —                   | x                   | —                 | —                    | —                   | x               | —                     | —                | —                           |

*Continued*

Online Supplementary Data

<http://www.annfammed.org/cgi/content/full/5/1/63/DC1>

**Supplemental Appendix 4, Table 1. Articles Included in Systematic Reviews of Computed Tomography for Detection of Pulmonary Emboli**

| Author, Year            | Harvey et al, 2000 | Mullins et al, 2000 | Rathbun et al, 2000 | Cueto et al, 2001 | van Beek et al, 2001 | Safriel et al, 2002 | Roy et al, 2005 | Hayashino et al, 2005 | Hogg et al, 2006 | Segal et al, 2006 (current) |
|-------------------------|--------------------|---------------------|---------------------|-------------------|----------------------|---------------------|-----------------|-----------------------|------------------|-----------------------------|
| Mayo et al, 1997        | x                  | x                   | x                   | —                 | x                    | x                   | —               | —                     | —                | —                           |
| Pruszczyk et al, 1997   | —                  | —                   | —                   | —                 | x                    | x                   | —               | —                     | —                | —                           |
| Russi et al, 1997       | —                  | —                   | x                   | —                 | —                    | —                   | —               | —                     | —                | —                           |
| Cross et al, 1998       | —                  | x                   | x                   | —                 | —                    | —                   | —               | —                     | —                | —                           |
| Drucker et al, 1998     | x                  | —                   | x                   | x                 | x                    | x                   | —               | x                     | x                | x                           |
| Garg et al, 1998        | x                  | x                   | x                   | x                 | x                    | x                   | —               | x                     | x                | —                           |
| Herold et al, 1999      | —                  | —                   | —                   | —                 | —                    | x                   | —               | —                     | —                | —                           |
| Kim et al, 1999         | —                  | —                   | x                   | —                 | x                    | —                   | —               | —                     | —                | —                           |
| van Strijen et al, 1999 | —                  | —                   | —                   | —                 | —                    | x                   | —               | —                     | —                | —                           |
| Quinaldi et al, 2000    | —                  | —                   | —                   | —                 | —                    | —                   | x               | x                     | x                | x                           |
| Ost et al, 2001         | —                  | —                   | —                   | —                 | —                    | —                   | x               | —                     | —                | —                           |
| Velhamos et al, 2001    | —                  | —                   | —                   | —                 | —                    | —                   | —               | —                     | —                | x                           |
| Nilsson et al, 2002     | —                  | —                   | —                   | —                 | —                    | —                   | x               | x                     | x                | —                           |
| Ruiz et al, 2003        | —                  | —                   | —                   | —                 | —                    | —                   | —               | x                     | x                | —                           |
| Stone et al, 2003       | —                  | —                   | —                   | —                 | —                    | —                   | x               | —                     | x                | —                           |
| van Strijen et al, 2003 | —                  | —                   | —                   | —                 | —                    | —                   | x               | —                     | —                | —                           |
| Winer-Muram et al, 2004 | —                  | —                   | —                   | —                 | —                    | —                   | —               | —                     | x                | x                           |

\* Reference not found.

**Supplemental Appendix 4, Table 2. References for Systematic Reviews and Articles Included in Systematic Reviews of Computed Tomography for Detection of Pulmonary Emboli****Systematic reviews**

- Cueto SM, Cavanaugh SH, Benenson RS, Redclift MS. Computed tomography scan versus ventilation-perfusion lung scan in the detection of pulmonary embolism. *J Emerg Med*. 2001;21(2):155-164.
- Harvey RT, Gefter WB, Hrung JM, Langlotz CP. Accuracy of CT angiography versus pulmonary angiography in the diagnosis of acute pulmonary embolism: evaluation of the literature with summary ROC curve analysis. *Acad Radiol*. 2000;7(10):786-797.
- Hayashino Y, Goto M, Noguchi Y, Fukui T. Ventilation-perfusion scanning and helical CT in suspected pulmonary embolism: meta-analysis of diagnostic performance. *Radiology*. 2005;234(3):740-748.
- Hogg K, Brown G, Dunning J, et al. Diagnosis of pulmonary embolism with CT pulmonary angiography: a systematic review. *Emerg Med J*. 2006;23(3):172-178.
- Mullins MD, Becker DM, Hagspiel KD, Philbrick JT. The role of spiral volumetric computed tomography in the diagnosis of pulmonary embolism. *Arch Intern Med*. 2000;160(3):293-298.
- Rathbun SW, Raskob GE, Whitsett TL. Sensitivity and specificity of helical computed tomography in the diagnosis of pulmonary embolism: a systematic review. *Ann Intern Med*. 2000;132(3):227-232.
- Roy PM, Colombet I, Durieux P, et al. Systematic review and meta-analysis of strategies for the diagnosis of suspected pulmonary embolism. *BMJ*. 2005;331(7511):259.
- Safriel Y, Zinn H. CT pulmonary angiography in the detection of pulmonary emboli: a meta-analysis of sensitivities and specificities. *Clin Imaging*. 2002;26(2):101-105.
- van Beek EJ, Brouwers EM, Song B, Bongaerts AH, Oudkerk M. Lung scintigraphy and helical computed tomography for the diagnosis of pulmonary embolism: a meta-analysis. *Clin Appl Thromb Hemost*. 2001;7(2):87-92.

**Articles included in the systematic reviews**

- Bergin CJ, Sirlin CB, Hauschildt JP, et al. Chronic thromboembolism: diagnosis with helical CT and MR imaging with angiographic and surgical correlation. *Radiology*. 1997;204(3):695-702.
- Blum AG, Delfau F, Grignon B, et al. Spiral-computed tomography versus pulmonary angiography in the diagnosis of acute massive pulmonary embolism. *Am J Cardiol*. 1994;74(1):96-98.
- Christiansen F, Nilsson T, Mare K, Carlsson A. Adding a visual linear scale probability to the PIOPED probability of pulmonary embolism. *Acta Radiol*. 1997;38(3):458-463.
- Cross JJ, Kemp PM, Walsh CG, Flower CD, Dixon AK. A randomized trial of spiral CT and ventilation perfusion scintigraphy for the diagnosis of pulmonary embolism. *Clin Radiol*. 1998;53(3):177-182.
- Dresel S, Stabler A, Scheidler J, et al. Diagnostic approach in acute pulmonary embolism: perfusion scintigraphy versus spiral computed tomography. *Nucl Med Commun*. 1995;16(12):1009-1015.
- Drucker EA, Rivitz SM, Shepard JA, et al. Acute pulmonary embolism: assessment of helical CT for diagnosis. *Radiology*. 1998;209(1):235-241.
- Ferretti GR, Bosson JL, Buffaz PD, et al. Acute pulmonary embolism: role of helical CT in 164 patients with intermediate probability at ventilation-perfusion scintigraphy and normal results at duplex US of the legs. *Radiology*. 1997;205(2):453-458.
- Garg K, Welsh CH, Feyerabend AJ, et al. Pulmonary embolism: diagnosis with spiral CT and ventilation-perfusion scanning--correlation with pulmonary angiographic results or clinical outcome. *Radiology*. 1998;208(1):201-208.
- Goodman LR, Curtin JJ, Mewissen MW, et al. Detection of pulmonary embolism in patients with unresolved clinical and scintigraphic diagnosis: helical CT versus angiography. *AJR Am J Roentgenol*. 1995;164(6):1369-1374.
- Harvey RT, Gefter WB, Hrung JM, Langlotz CP. Accuracy of CT angiography versus pulmonary angiography in the diagnosis of acute pulmonary embolism: evaluation of the literature with summary ROC curve analysis. *Acad Radiol*. 2000;7(10):786-797.
- Herold CJ, Hahne J, Ghaye B, Pattynama PM, Schnyder P, Vock P. Prospective evaluation of pulmonary embolism: diagnostic performance of spiral CT angiography in the ESTIPEP trial. *Radiology*. 1999;213:127.
- Kim KI, Muller NL, Mayo JR. Clinically suspected pulmonary embolism: utility of spiral CT. *Radiology*. 1999;210(3):693-697.

Continued

**Supplemental Appendix 4, Table 2, Continued**

- Mayo JR, Remy-Jardin M, Muller NL, et al. Pulmonary embolism: prospective comparison of spiral CT with ventilation-perfusion scintigraphy. *Radiology*. 1997;205(2):447-452.
- Nilsson T, Soderberg M, Lundqvist G, et al. A comparison of spiral computed tomography and latex agglutination D-dimer assay in acute pulmonary embolism using pulmonary arteriography as gold standard. *Scand Cardiovasc J*. 2002;36(6):373-377.
- Ost D, Rozenshtein A, Saffran L, Snider A. The negative predictive value of spiral computed tomography for the diagnosis of pulmonary embolism in patients with nondiagnostic ventilation-perfusion scans. *Am J Med*. 2001;110(1):16-21.
- Patel S, Kazerooni EA, Cascade PN. Pulmonary embolism: optimization of small pulmonary artery visualization at multi-detector row CT. *Radiology*. 2003;227(2):455-460.
- Pruszczyk P, Torbicki A, Pacho R, et al. Noninvasive diagnosis of suspected severe pulmonary embolism: transesophageal echocardiography vs spiral CT. *Chest*. 1997;112(3):722-728.
- Qanadli SD, Hajjam ME, Mesurolle B, et al. Pulmonary embolism detection: prospective evaluation of dual-section helical CT versus selective pulmonary arteriography in 157 patients. *Radiology*. 2000;217(2):447-455.
- Remy-Jardin M, Remy J, Wattinne L, Giraud F. Central pulmonary thromboembolism: diagnosis with spiral volumetric CT with the single-breath-hold technique--comparison with pulmonary angiography. *Radiology*. 1992;185(2):381-387.
- Remy-Jardin M, Remy J, Deschildre F, et al. Diagnosis of pulmonary embolism with spiral CT: comparison with pulmonary angiography and scintigraphy. *Radiology*. 1996;200(3):699-706.
- Remy-Jardin M, Remy J, Artaud D, Deschildre F, Duhamel A. Peripheral pulmonary arteries: optimization of the spiral CT acquisition protocol. *Radiology*. 1997;204(1):157-163.
- Ruiz Y, Caballero P, Caniego JL, et al. Prospective comparison of helical CT with angiography in pulmonary embolism: global and selective vascular territory analysis. Interobserver agreement. *Eur Radiol*. 2003;13(4):823-829.
- Russi TJ, Libby DM, Henschke CI. Clinical utility of computed tomography in the diagnosis of pulmonary embolism. *Clin Imaging*. 1997;21(3):175-82.
- Schoepf UJ, Holzkecht N, Helmberger TK, et al. Subsegmental pulmonary emboli: improved detection with thin-collimation multi-detector row spiral CT. *Radiology*. 2002;222(2):483-490.
- Sostman HD, Layish DT, Tapson VF, et al. Prospective comparison of helical CT and MR imaging in clinically suspected acute pulmonary embolism. *J Magn Reson Imaging*. 1996;6(2):275-281.
- Steiner P, Phillips F, Wesner D, et al. [Primary diagnosis and follow-up in acute pulmonary embolism: comparison of digital subtraction angiography and spiral CT]. *Rofo*. 1994;161(4):285-291.
- Stone E, Roach P, Bernard E, et al. Use of computed tomography pulmonary angiography in the diagnosis of pulmonary embolism in patients with an intermediate probability ventilation/perfusion scan. *Intern Med J*. 2003;33(3):74-78.
- Teigen CL, Maus TP, Sheedy PF, 2nd, et al. Pulmonary embolism: diagnosis with electron-beam CT. *Radiology*. 1993;188(3):839-845.
- Teigen CL, Maus TP, Sheedy PF, 2nd, et al. Pulmonary embolism: diagnosis with contrast-enhanced electron-beam CT and comparison with pulmonary angiography. *Radiology*. 1995;194(2):313-319.
- van Rossum AB, Pattynama PM, et al. (a) Pulmonary embolism: validation of spiral CT angiography in 149 patients. *Radiology*. 1996;201(2):467-470.
- van Rossum AB, Treurniet FE, et al. (b) Role of spiral volumetric computed tomographic scanning in the assessment of patients with clinical suspicion of pulmonary embolism and an abnormal ventilation/perfusion lung scan. *Thorax*. 1996;51(1):23-28.
- van Rossum AB, van Erkel AR, van Persijn van Meerten EL, et al. Accuracy of helical CT for acute pulmonary embolism: ROC analysis of observer performance related to clinical experience. *Eur Radiol*. 1998;8(7):1160-1164.
- van Strijen MJ, de Monye W, Schiereck J, et al. Single-detector helical computed tomography as the primary diagnostic test in suspected pulmonary embolism: a multicenter clinical management study of 510 patients. *Ann Intern Med*. 2003;138(4):307-314.
- Winer-Muram HT, Rydberg J, Johnson MS, et al. Suspected acute pulmonary embolism: evaluation with multi-detector row CT versus digital subtraction pulmonary arteriography. *Radiology*. 2004;233(3):806-815.