Supplemental Appendixes 1-2 for:

Ford E, Paudyal P, Smith H, Stephens S. Effectiveness of psychological interventions for postnatal depression in primary care: a meta-analysis. *Ann Fam Med*. 2016;14(5):463-472.

Appendices

Appendix 1: Search Strategy

	Search A	Search B
1	"postnatal"	"Intervention"
2	"postpartum"	"Treat*"
3	"perinatal"	"Psychosocial"
4	"post natal"	"Psycholog*"
5	"post partum"	"psychoeduc*"
6	"peri natal"	"therapy"
7	1 or 2 or 3 or 4 or 5 or 6	"cognitive behavioural therapy"
8	"depression"	"cognitive behavioral therapy"
9	"mood disorder"	"CBT"
10	"anxiety"	"interpersonal therapy"
11	8 or 9 or 10	"interpersonal psychotherapy"
12	7 AND 11	"IPT"
13	"PND"	"psychodynamic therapy"
14	12 or 13	"insight-oriented therapy"
15		"counseling"
16		"counselling"
17		"peer support"
18		"partner support"
19		"home visits"
20		"debriefing"
21		1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or
		12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20
	Results of search A and search B combined and limited to English and human studies only	

Appendix 2: The adapted CCDAN QRS for assessment of study quality

Objectives
 0= objectives unclear
 1= objectives clear but main outcome not a priori
 2= objectives clear and main outcome a priori

2. Sample size 0= <50 per group 1= 51-100 per group 2= >100 per group

3. Duration of trial and follow-up
0= <3 months
1= >3 months and <6 months
2= >6 months

4. Power
0= not reported
1= mentioned without details
2= details of calculation provided

5. Method of allocation
0= unrandomized and likely to be biased
1= partial or quasi-randomized with bias possible
2= randomized allocation

6. Concealment
0= not done or not reported
1= partial concealment reported
2= done adequately

7. Description of treatment

0= main treatments not clearly described

1= inadequate details of main or adjunctive treatments

2= full details of main or adjunctive treatments

8. Source of subjects, representativeness of sample

0= source of subjects not described

1= source of subjects but unrepresentative

2= source of subjects plus representative sample

9. Diagnostic/inclusion criteria

0= none

1= diagnostic criteria or clear inclusion criteria

2= diagnostic criteria and specification of severity

10. Record of exclusion criteria, exclusions, refusals

This supplemental material has been supplied by the author and has not been edited by Annals of Family Medicine.

0= criteria and number not reported

1= criteria or number not reported

2= criteria and number reported

11. Description of sample demographics

0= little/no info (only age/sex)

1= basic details (marital status/ethnicity)

2= full description (socio-economic status/clinical history)

12. Adherence /attendance for therapy

0= not assessed

1= assessed for some experimental treatments

2= assessed for all experimental treatments

13. Record of number/reasons for withdrawal by group

0= no info on withdrawals by group

1= withdrawals by group without reason

2= withdrawals and reason by group

14. Outcome measures/use of validated instruments

0= outcomes not described clearly

1= some outcomes not clearly described

2= outcomes described and valid/reliable

15. Group comparability and adjustment in analysis

0= no information on comparability

1= some information with adjustment

2= sufficient information with adjustment

16. Inclusion of withdrawals in analysis (ITT)

0= not included or reported

1= withdrawals included by estimation of outcome

2= withdrawals followed up and included in analysis

17. Results presented with data for re-analysis

0= inadequate presentation

1= adequate

2= comprehensive

18. Appropriate statistical analysis

0= inappropriate

1= mainly appropriate

2= appropriate and comprehensive

19. Conclusions justified

0= no

1= partially

This supplemental material has been supplied by the author and has not been edited by Annals of Family Medicine.

2= yes

20. Declaration of interests

0= No

2= Yes